

30/2 Suprena Sewing Machine Thread 100% Spun Polyester Sewing Thread (30/2)



SP 30/2

 **Suprena**
DESIGN FOR JAPAN

www.suprena-sewing.com

▪ Product Description

100% Spun Polyester Sewing Thread

Key features & specifications:

1. Counts: 20/2, 20/3, 20/4, 20/6, 20/9, 30/2, 30/3, 40/2, 40/3, 50/2, 50/3, 60/2 and 60/3 etc.;
2. Packing: 1000yds to 20000yds/cone, 1kg to 2.0kg/cone, or 50yds to 1000yds

/small bobbin

3. Resistance to chemical ,abrasion resistant & excellent resistant to color change;

4. Excellent strength-suitable for high speed sewing machine;

5. Low shrinkage

6. silicon oil available: upon 3% and from Janpan. U.S.A

7. Color available more than 500

8. Ring twisted thread and TFO twisted thread available.

Primary competitive advantages:

1. Competitive prices

2. Small order accepted

3. Quality & prompt shipment guaranteed

4. Have high reputation in the Worldwide

Material

Use 1.2d X 38mm staple fiber, Sources from Malaysia. Thailand.

100% cotton Threads, Suitable for High-speed Sewing with in good quality, strong tenacity, so many counts we can do and Machines Specifications Usages as below for reference:

20s/2 Jeans, shoes, caps, leather products, etc

20s/3 Jeans, shoes, handbags, leather products, ect

30s/2 Art crafts, handbags, protective suits, ect

30s/3 Jeans, tents, leather products, handbags, shoes, ect

40s/2 Trousers, coats, suits, shirts, ect

40s/3 Protective suits, art crafts, shoes, etc

50s/2 Knitting garments, suit-dress, underwear, etc

50s/3 Art crafts, decoration sewing, field clothes, etc

60s/2 Ultrathin fabrics, underwear, suit-dress, etc

60s/3 Coats, suits, trousers, bedsheets quilts, blankets, etc

1. Cone Packs: 50yads to 20000yads/cone or 0.5kg to 2.0kg/cone and 50yads to 1000yds/small tube
2. On paper cone and plastic cone or plastic dying tube.
3. Raw white available, weight $\leq 1.89\text{kg/cone}$
4. Optic white & dyed available, weight $\leq 1\text{kg/cone}$.
5. Any length is available.
6. So many colors for your choose and customer's color is accpactable